




Quadrangle

Pattern by *moda*

Quilt is 67" x 67"



FABRIC REQUIREMENTS

Prints: 1 Jelly Roll* (36 strips needed)

Cornerstones & Block Centers: 1 Fat Eighth** or 2 squares - 10" x 10"

Setting/Border: 2½ yards

Binding: ⅝ yard

Backing: 4½ yards

*Jelly Roll = 40 - 2½" x width of fabric strips

** Fat Eighth = 9" x 21" width of fabric

Quadrangle

Quilt is 67" x 67"

Cutting Instructions:

From the Jelly Roll:

- Unroll the Jelly Roll and select (36) strips. Cut each strip in half – 2 ½" x 21". Before cutting on the fold, make sure the strips are the same length. Sort the strips to make (36) contrasting pairs.

From the Fat Eighth or 10" x 10" squares:

- Cut (5) 1 ½" x 21" strips from your F8. Sub-cut (36) 1 ½" x 1 ½" squares for the block centers, and (25) 1 ½" x 1 ½" squares for the cornerstones.

From the Background fabric:

- Cut (3) 9 ½" x 42" wof strips. Sub-cut a total of (60) 1 ½" x 9 ½" rectangles for the sashing.
 - From the remainder, cut (14) 1 ½" x 4 ½" rectangles for the block sashing
- Cut (12) 4 ½" x 42" wof strips.
 - Select 5 strips. Sub-cut a total of (130) 1 ½" x 4 ½" rectangles for the block sashing. (There should be a total of (144) rectangles.
 - Piece the remaining (7) strips for length. Sub-cut the following:
 - (2) 4 ½" x 59 ½" Side Border strips.
 - (2) 4 ½" x 67 ½" Top/Bottom strips.

From the Binding Fabric:

Cut (7) 2 ¼" x WOF strips.

Construction.

All seams are a scant ¼".* Press the seams in the direction of the arrows.

Making the Four-Patches.

- Join (2) 2 ½" x 21" strips on the long edge. Repeat to make 36 different strip sets.



Press toward the darker fabric


***Jelly Roll Accuracy Tip:** Use a smaller than scant ¼" seam allowance to join the strips. Then, before pressing, align your seam with the 2 ¼" line on your ruler, and trim off the unsewn edge of your strips. The straight edge helps with accuracy when the blocks are assembled.




Trim away points on unfinished side

2 ¼"

2. Sub-cut each strip set into (8) $2\frac{1}{2}$ " wide segments. Each segment should measure $2\frac{1}{2}$ " x $4\frac{1}{2}$ ".




3. Join (2) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " segments as shown. Press the seam in one direction. Repeat to make four matching units. Each will measure $4\frac{1}{2}$ " x $4\frac{1}{2}$ ".



4. Lay out the 4 matching four-patches, 4 sashing strips - $1\frac{1}{2}$ " x $4\frac{1}{2}$ ", and 1 center square - $1\frac{1}{2}$ " x $1\frac{1}{2}$ " as shown.

Join the parts to make rows. Press the seams to the sashing strips in each row.

Join the rows to complete the block - press the seams to the middle sashing strip row. The block will measure $9\frac{1}{2}$ " x $9\frac{1}{2}$ ".



Repeat to make 36 blocks.


Construction.

Lay out the blocks in six rows of six blocks each, alternating the blocks with $1\frac{1}{2}$ " x $9\frac{1}{2}$ " sashing strips and $1\frac{1}{2}$ " x $1\frac{1}{2}$ " cornerstones.

Join the blocks/parts in each row. Press the seams to the sashing strips - away from the blocks and cornerstones.

Join the rows to complete the quilt top. Press the seams to the sashing strip rows - away from the block rows.

The quilt top will measure $59\frac{1}{2}$ " x $59\frac{1}{2}$ " at this stage.



Completing the Top.

Piece the $4\frac{1}{2}$ " border strips. Press the seams open. Cut the following lengths:

- **Side borders.** Cut (2) $4\frac{1}{2}$ " x $59\frac{1}{2}$ " - or the length of your quilt top.
- **Top/Bottom borders.** Cut (2) strips - $4\frac{1}{2}$ " x $67\frac{1}{2}$ ".

Join the $4\frac{1}{2}$ " x $59\frac{1}{2}$ " side border strips to the sides of the quilt top. Press the seams to the border strips.

Join the $4\frac{1}{2}$ " x $67\frac{1}{2}$ " top/bottom border strips to the top/bottom edges of the quilt top. Press the seams to the border strips.

Quilt and bind as desired.

